

Bar Code Verification Report


5012324567898			
Date:	4/12/2000	Serial number:	21AD
Time:	8:06:14 a.m.	Aperture:	150 µm
Software Version:	2.0.5.11 (UI)	Wavelength:	660 nm.
	2.0.5.11 (core)	Last Calibrated:	1/01/1970
Lookup:	5012324567898:Not Found		
Text Lookup:	2000-05-19		
Number of scans:	1		
Code Type:	EAN-13 59 bars + spaces. X dim=330 µm		
Average Grade (Pass=1.5):	D (1.0) - Fail (1.0/06/660)		
Average Bar Gain (tolerance):	-44% (± 30.5%)		
Magnification:	100%		
Check Character:	OK (8)		

	Pass Scans	Fail Scans
Structure	1	
Left Margin	1	
Right Margin	1	


	Percentage Values	Average Grades
Minimum Reflectance	4%	A (4.0)
Maximum Reflectance	82%	
Threshold	43%	
Symbol Contrast	77%	A (4.0)
Min. Edge Contrast	64%	A (4.0)
Modulation	83%	A (4.0)
Defects	7%	A (4.0)
Decodability	26%	D (1.0)
Decode		A (4.0)

Scan Reflectance Profile
5012324567898 - Forwards

Millimetres (Overall length: 37.11mm)



Dimensional Analysis



	Decodability	Char. Width	Sum of bars	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge
LM	3696 (3801)								
<	100%	850		660 (663)					
0a	97%	2322		997 (994)	666 (662)				
1b	26%	2323	1099 (1376)	1328 (1326)	1328 (1326)				
2b	28%	2329	1107 (1380)	993 (997)	998 (997)				
3a	98%	2320		1659 (1657)	660 (662)				
2a	96%	2326	665 (946)	997 (996)	1333 (1328)				
4b	98%	2309		1319 (1318)	657 (658)				
	100%	1777		656 (659)	654 (659)	654 (659)	654 (656)	654 (656)	652 (656)
5c	98%	2296		982 (984)	1643 (1640)				
6c	98%	2305		657 (658)	656 (658)				
7c	98%	2287	320 (602)	1308 (1306)	1309 (1306)				
8c	98%	2282	323 (602)	978 (978)	979 (978)				
9c	98%	2291		1307 (1309)	652 (654)				
8c	98%	2288	330 (602)	981 (979)	977 (979)				
>	100%	843		653 (653)					
RM	0 (2450)								